

VASELINE PHARMA 170

Code Produit: 266900101





Gelée de pétrole blanche spéciale

Ce produit est une gamme de fluides synthétiques haut de gamme pour pompes à vide à base d'huile PAO, conçus pour offrir à la fois un excellent service et une très longue durée de vie du fluide dans tous les types de pompes à vide.

Le produit convient à une grande variété d'applications dans les industries pharmaceutique, cosmétique, de transformation alimentaire et de nombreuses autres industries.

Données de Performance Typiques

Property	Test method	Value
Appearance	Visual	White translucent soft mass
Colour, Lovibond 2'cell		<1.0 Y
Dropping point, °C		56
Congealing Point, °C (ASTM D-938)		50
Consistency @ 25°C, dmm		167
Viscosity @ 40 °C, mm ² /s	ASTM D445	6
Density @ 60 °C, kg/dm ³		0.825
Sulphated Ash, Max %		<0.5
Residue on Ignition, %		<0.5
Organic acids		To pass
Fixed oils, fats and rosins		To pass
Acidity/ Alkalinity		To pass
Foreign Organic matter		To pass
Light absorption @ 290 nm		<0.5
Poly cyclic Aromatic Hydrocarbons		To pass
Polynuclear compounds		To pass
Purity status		To pass

Toutes les données de performance sur cette fiche technique sont uniquement indicatives et peuvent varier pendant la production.